



TABELA

| Lp. | Nazwa | Wymiary | Mat. | Ilość [szt] |
|-----|-------------------|-----------------------------|-----------|-------------|
| 1 | Profil nośny | C=160x80x17, #2,5 L=2260 | S235 JGR2 | 2 |
| 2 | Płaskownik 1 | 124x80x6 | S235 JGR2 | 8 |
| 3 | Ucho | fi 10 | S235 JGR2 | 4 |
| 4 | Profil poprzeczny | C=160x80x17, #2,5 L=1190 | S235 JGR2 | 2 |
| 5 | Kątownik | 30x30x3 L=30 | S235 JGR2 | 4 |
| 6 | Kątownik2 | 100x30x1,5 L=80 | S235 JGR2 | 2 |
| 7 | Rura | fi 33,7x2,5 L=85 | S235 JGR2 | 30 |
| 8 | Kątownik3 | 100x80x4 L=1200 | S235 JGR2 | 2 |
| 9 | Płaskownik 2 | 130x60x5 | S235 JGR2 | 4 |
| 10 | | | | |


BVS Polska
 Alicja Karaczun

| | | |
|-------------------------------|----------------------------------|-------------|
| Finish: Hot dipped galvanised | Mobilizaun: Transport TP 30 2.2m | CODE: 10063 |
| Tolerance : ±5% | Drawn : inż. Paweł Hamrol | |
| Weight: 78,5 kg | Date: 03-09-2014 | |